

Amendments to the Claims:

Please cancel claims 4 - 7, which stand withdrawn from consideration as being directed to non-elected species, without prejudice or disclaimer of the subject matter thereof, and without prejudice to the right to file a divisional application directed thereto.

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (previously presented) A display device comprising :

in a pixel region formed over a substrate, a first pixel electrode formed of a light transmissive conductive layer is formed in one optical transmissive region, which is formed by partitioning the pixel region, and a second pixel electrode formed of a non-light transmissive conductive film is formed on the remainder of the partitioned pixel region to form a light reflective region;

said first pixel electrode is positioned as a lower layer with respect to an insulation film, and, a hole is formed in said insulation film in a region corresponding to said light transmissive region so as to expose said first pixel electrode, and said second pixel electrode is formed at least one of over and in said light reflective region of said insulation film; and

at least a portion corresponding to a side wall surface of the hole formed in said insulation film is arranged in relation to a light shielding film .

2. (previously presented) A display device according to claim 1, wherein said first pixel electrode and said second pixel electrode are formed over one of a

pair of substrates which are arranged to face each other in an opposed manner with liquid crystal disposed therebetween, and said light shielding film is formed over said one substrate at least the portion corresponding to the side wall surface of the hole formed in said insulation film.

3. (previously presented) A display device according to claim 1, wherein said first pixel electrode and said second pixel electrode are formed over one of a pair of substrates which are arranged to face each other in an opposed manner with liquid crystal disposed therebetween, and said light shielding film is formed over another substrate of said pair of substrates.

Claims 4 - 7 (canceled)

8. (previously presented) A display device according to claim 1, wherein at least the portion corresponding to the side wall surface of the hole formed in said insulating film is overlapped with said light shielding film.

9. (previously presented) A display device according to claim 1, wherein each said pixel region is constituted by surrounding gate signal lines and drain signal lines, and each said pixel region includes a switching element, and a pixel electrode to which a video signal is supplied from one of said drain signal lines through said switching element;

said light shielding film exists a portion where a light shielding layer thereof is not formed at a part of the portion corresponding to the side wall surface of said hole

formed in said insulation film, and the portion includes a part thereof which is close to said switching element.

10. (previously presented) A display device according to claim 9,  
wherein said light shielding film is made of a material similar to the material of said gate signal lines.

11. (previously presented) A display device according to claim 10,  
wherein said light shielding film is formed as a layer below said second pixel electrode.

12. (previously presented) A display device according to claim 1,  
wherein each of said pixel region is constituted by surrounding gate signal lines and said drain signal lines, and each said pixel region includes a switching element, and a pixel electrode to which a video signal is supplied from one of said drain signal lines through said switching element;

said light shielding film exists corresponding to the side wall surface of said hole formed in said insulation film.

13. (previously presented) A display device according to claim 12,  
wherein said light shielding film is made of a material similar to the material of said gate signal lines.

14. (previously presented) A display device according to claim 13,

wherein said light shielding film is formed as a layer below said second pixel electrode.